

Use, Maintenance and Assembly Instructions



Hobbytramp

Art. No. 85000

1. General data	1
2. Assembly instructions	1
3. Maintenance recommendations	4
4. Parts list.....	5

1. General data

1.1 Required space

Stationed: 365 x 223 x 90 cm

Stowed: 365 x 223 x 12 cm + 4 removable legs 80 x 90 cm

Weight: 110 kg

1.2 Transport and storage

Dimensions:

- 2 frame parts (long side) 227 x 8 x 14 cm
- 2 frame parts (short side) 223 x 52 x 14 cm
- 4 legs 80 x 90 cm
- 1 box steel springs 35 x 28 x 30 cm
- 1 foil jumping bed + frame pads 180 x 40 x 25 cm

1.3 Number of users

Basically the Hobbytramp should be used by one person at the same time. Therefore other persons should not be on the trampoline.

2. Assembly instructions

2.1 Assembly and disassembly

Tools:

- 1 rubber hammer
- 1 socket wrench

The assembly and disassembly should be done by 2 persons.

Assembly

- Put 4 frame parts on the floor. Turn the long parts with the side brackets on the inside. Place the short parts at right angles to them.



- Start at the short part and plug in the long part. If needed use the rubber hammer.




- Repeat the process on the other side.



- Insert a leg into the 2 brackets from above until it stops.
- Fix the leg with the screws.




- Repeat this process for the other 3 legs.
- Now turn over the complete connected and bolted frame and place it even with the ground.
- Please make sure that the 4 legs stand even. If not please balance the ground.
- Two persons should stand vis-à-vis to be able to mount the jumping bed.
- First, install two springs at each corner on the corner rings of the jumping bed and then at the frame.



Important: the spring ears should point **downwards!**

- Important: the spring ears should point downwards to the frame; start in the middle of one side and then the other side. Repeat this process.
- Install the black belt at the 4 ears at the corners of the frame.

- Install the spring clips on the long and short parts. Spring clips with the black belt avoid the contact between springs and frame pads.



- Following the coverall frame pads will be fastened at the trampoline frame.
- Stick the white Velcro on the flat surface on each side of the frame.
- Place the 4 frame pads (2 for the short side and 2 for the long side) on the frame.

Disassembly

It is not necessary to disassemble the Hobbytramp completely. It is possible to screw off only the feet, the top part of the frame can be left installed.

The complete disassembly of the Hobbytramp is to be made in reverse order of the assembly.

3. Maintenance recommendations

The trampolines are to examine for possible damage before use. Particularly it is very important that frame pads, jumping bed, springs and frame parts are not damaged. Damages must be repaired immediately. If you are unsure whether the trampoline is fully functional please contact a competent person to examine.

To check regularly:

- floor protection
- frame pads

- jumping bed
- steel springs
- frame parts in general

Before each use check the trampoline and replace any faulty or missing part. Please ensure the following things:

- no damages at the jumping bed,
- faultless condition of suspension of jumping bed,
- no cracks or other damages on the frame,
- no damaged or overstretched springs,
- springs are always hooked in with the eyelet pointing downwards,
- frame pads must be mounted properly.

3.1 Maintenance and repair measures

- Damaged floor protection has to be replaced.
- Over-extended and tired springs have to be replaced. **The spring ears should point downwards!**

4. Parts list

Name	Pieces
Hot-dip galvanized steel springs (Art. No. E31104)	80
Hot-dip galvanized steel springs for fastening frame pads	8
Jumping bed 280x140 cm made of PVC-coated synthetics	1
Bent legs made of hot-dip galvanized round pipes/tubes 35x2,5 mm (80x90 cm)	4
Frame parts long side (277x8x14 cm) flat steel tube 65x35x2,5 cm, hot-dip galvanized	2
Frame parts short side (223x52x14 cm) flat steel tube 65x35x2,5 cm, hot-dip galvanized	2
Frame pads for long side	2
Frame pads for short side	2
Safety manual	1
Socket screws	8
Socket wrench	1
Fastening set for coverall frame pads consisting of 6 spring clips, 4 steel springs and 1 black belt	1

All spare parts available from Eurotramp upon request!

We are pleased to remain at your disposal to answer any questions:

Eurotramp Trampoline - Kurt Hack GmbH
 Zeller Straße 17/1 | 73235 Weilheim/Teck
 Tel. +49 (0)7023 - 9495-0 | Fax +49 (0)7023 - 9495-10
welcome@eurotramp.com | www.eurotramp.com